


Duralay Durafit 500 5.25 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100103

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

The world's leading stick-down system. The Durafit system from Duralay was the first double-stick system for carpets and underlays when it was introduced in the 1980s. It is now the standard for stick-down systems and has been successfully used in thousands of contract installations worldwide. The Durafit system provides substantial benefits for any installation, regardless of size. A world leader in double-stick systems. Ideal for high-traffic areas and use with swivel wheels. High density crumb rubber.

Duralay Durafit 500 5.25 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100103

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Carpet
Base unit	Roll
Product weight	2100 g/m ²
Product dimensions (Length)	11 m
Product dimensions (Width)	1.37 m
Product dimensions in m ²	15.07 m ²
Thickness	5.25 mm
Density	400 kg/m ³
Material	Crumb rubber
Brand	Duralay
TOG rating	0.88 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Project use	Yes
Laying method	Stretch / double-sided adhesive
Product dimensions (Unit)	m ²
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Thermal resistance - R-value (Test method: ISO 8302)	0.088 m ² K/W

Duralay Durafit 500 5.25 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100103



Sound-reducing Lw (Test method: NEN-EN ISO 717-2)	26 dB Lw
Flame-retardant (Test method: EN 13501-1)	Bfl-S1
Laying direction	Perpendicular to the laying direction of the carpet. Avoid aligning the seams of the underlay and the carpet.
Green Choice	Yes

Duralay Durafit 500 5.25 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100103

estillon
WE WILL IMPROVE YOUR FLOOR

