

Scan this QR code to view this product on our website.



Description

The world's leading stick-down system. The Durafit system from Duralay was the first double-stick system for carpets and underlays when it was introduced in the 1980s. It is now the standard for stick-down systems and has been successfully used in thousands of contract installations worldwide. The Durafit system provides substantial benefits for any installation, regardless of size. A world leader in double-stick systems. Ideal for high-traffic areas and use with swivel wheels. High density crumb rubber.


Specifications

Floor type	Carpet
Thickness	5.25 mm (10% margin)
Product weight	2100 g/m ² (10% margin)
Density	400 kg/m ³ (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Sound-reducing - ΔL_w	26 dB ΔL_w
TOG rating	0.88 TOG
Thermal resistance - R-value	0.088 m ² K/W
Flame-retardant	Bfl-S1
Green choice label	Yes
Brand	Duralay
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Laying method	Stretch / double-sided adhesive
Product dimensions (Length)	11 m (10% margin)
Product dimensions (Width)	1.37 m
Product dimensions in m ²	15.07 m ²
Base unit	Roll
Material	Crumb rubber

Duralay Durafit 500 5,25 mm: 11 x 1,37 m (15,07 m²)

Art. nr - 114100103

estillon
WE WILL IMPROVE YOUR FLOOR



estillon
GREEN CHOICE

