


Duralay Durafit 650 6.5 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100104

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

The Durafit system from Duralay was the first double-stick system for carpets and underlays when it was launched in the 1980s. It has since become the standard for stick-down systems and has been successfully used in thousands of contract installations of all sizes worldwide. This reliable system is ideal for areas with heavy foot traffic, ensuring a longer lifespan for carpets and maintaining their appearance. Suitable for laying both carpet and natural floor coverings using double stick and stretch fit. It is particularly suited for high-traffic spaces and compatible with swivel casters, made from high-density recycled crumb rubber.

Duralay Durafit 650 6.5 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100104



Specifications

Floor type	Carpet
Product weight	2700 g/m ²
Product dimensions (Length)	11 m
Product dimensions Width (Unit)	m
Product dimensions in m2	15.07 m ²
Base unit	Roll
Thickness	6.5 mm
Density	415 kg/m ³
Material	Crumb rubber
Brand	Duralay
Thermal resistance - R-value	0.11 m ² K/W
TOG rating	1.1 TOG
Suitable for underfloor heating	Yes
Domestic use	Yes
Project use	Yes
Laying method	Stretch / double-sided adhesive
Green choice label	Yes
Product dimensions (Unit)	m ²
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Sound-reducing - Lw	28 dB Lw

Duralay Durafit 650 6.5 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100104



Flame-retardant	Cfl-S1
-----------------	--------

Duralay Durafit 650 6.5 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114100104

estillon
WE WILL IMPROVE YOUR FLOOR

