


Duralay LVT Multi-Fit 1,5 mm: 7,3 x 1,37 m (10 m2)

Art. nr - 114100111

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Duralay LVT Multi-Fit 1.5 mm can be installed in different ways: loose lay, single stick, or double stick, depending on the requirements of the flooring above. It's suitable for carpet tiles, laminate, parquet, LVT dryback, LVT Click, and LVT Rigid. This IMO fire-retardant underlay is perfect for ships, offshore installations, hotels, and any environment where fire resistance is a must.

- Enhances sound reduction
- Improves foot comfort
- Provides an excellent underlayer, masking minor surface imperfections
- IMO fire-retardant underlay

Duralay LVT Multi-Fit 1,5 mm: 7,3 x 1,37 m (10 m2)

Art. nr - 114100111

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Carpet tiles / Laminate / Parquet / LVT Dryback / LVT Click / LVT Rigid Click
Thickness	1.5 mm
Type of base floor	Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
PC (Punctual Conformability)	0.55 mm
CS	CS4
Sound-reducing - ΔL_{lin}	10 dB ΔL_{lin}
Product weight	2500 g/m ²
Product dimensions (Length)	7.3 m
Product dimensions (Width)	1.37 m
Product dimensions in m2	10 m ²
Sound-reducing - ΔL_w	21 dB ΔL_w
TOG rating	0.12 TOG
Thermal resistance - R-value	0.012 m ² K/W
TUV certificate	Yes
RLB (Resistance to Large Ball)	1800 mm
DL (Dynamic Load)	>1000 cycles
IMO certificate	Yes
DIBT certificate	Z-158.10-260

Duralay LVT Multi-Fit 1,5 mm: 7,3 x 1,37 m (10 m2)

Art. nr - 114100111

estillon
WE WILL IMPROVE YOUR FLOOR

Suitable for underfloor heating	Yes
Sound-reducing - ΔL_{in} - Test method	EN-ISO 10140-1 - 5:2021 / EN-ISO 717-2:2021
Sound-reducing - ΔL_w - Test method	EN-ISO 10140-1 - 5:2021 / EN-ISO 717-2:2021
Flame-retardant	Bfl-S1
Density	1667 kg/m ³
Material	Sponge rubber
Brand	Duralay
Laying method	Floating / double-sided gluing
CS/CC (Compressive Strength / Compressive Creep)	503 kPa
Hospitality Collection	Yes

Duralay LVT Multi-Fit 1,5 mm: 7,3 x 1,37 m (10 m2)

Art. nr - 114100111

estillon
WE WILL IMPROVE YOUR FLOOR

