Duralay Multitex 3.6 mm: 14.6 x 0.685 m (10 m²)

Art. nr - 114100112

Scan this QR code to view this product on our website.



Description

Sound-reducing underlay. Suitable for floating installation of carpet tiles, laminate, and parquet. Resilient high-density rubber

- Reduces noise in the room
- Prevents overloading of click connections in parquet and laminate floors
- Provides an excellent underlayer that absorbs surface imperfections during installation

Duralay Multitex 3.6 mm: 14.6 x 0.685 m (10 m²)

Art. nr - 114100112

Specifications

Floor type	Carpet tiles / Laminate / Parquet
Thickness	3.6 mm
Type of base floor	Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Product weight	2543 g/m²
Product dimensions (Length)	14.6 m
Product dimensions (Width)	0.68 m
Product dimensions in m2	10 m²
Sound-reducing - ΔLw	23 dB ΔLw
TOG rating	0.57 TOG
Thermal resistance - R-value	0.057 m² K/W
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Density	706 kg/m³
Material	Sponge rubber
Brand	Duralay
Laying method	Floating

Duralay Multitex 3.6 mm: 14.6 x 0.685 m (10 m²)

Art. nr - 114100112









