

Royale 600 6 mm: 7,52 x 1,33 m (10 m²)

Art. nr - 114107600

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

A durable yet comfortable underlay suitable for stretch fit installations.

- Ideal for stretch-fit carpet installation
- Flat sponge rubber
- HC/U, Heavy contract use

Royale 600 6 mm: 7,52 x 1,33 m (10 m²)

Art. nr - 114107600

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Carpet
Thickness	6 mm (10% margin)
Product weight	2983 g/m ² (10% margin)
Density	497 kg/m ³ (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Sound-reducing - ΔL_w	30 dB ΔL_w
TOG rating	0.7 TOG
Thermal resistance - R-value	0.07 m ² K/W
Flame-retardant	Bfl-S1
Flame-retardant - Test method	EN 13501-1 (2018)
Brand	Tredaire
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Laying method	Stretching
Product dimensions (Length)	7.52 m (10% margin)
Product dimensions (Width)	1.33 m
Product dimensions in m ²	10 m ²
Base unit	Roll
Material	Sponge rubber with flat structure

Royale 600 6 mm: 7,52 x 1,33 m (10 m²)

Art. nr - 114107600

estillon
WE WILL IMPROVE YOUR FLOOR

