Renu 6 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107812

Scan this QR code to view this product on our website.



Description

Renu® 6 mm is a durable recycled underlay made from 98% recycled materials and is fully recyclable. It is suitable for carpet installation in both residential and commercial applications.

Eco-performance:

- Energy-efficient: Renu® 6 mm provides excellent thermal insulation.
- Guaranteed comfort: Outstanding sound absorption.
- Sustainable: The high-density foam protects the carpet from premature wear while enhancing the luxurious feel and comfort.
- Environmentally conscious: 100% recyclable, completely sustainable, and CO_2 neutral. No unnecessary damage to forests and the environment.

Suitable for both residential and commercial use.

Renu 6 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107812

Specifications

Floor type	Carpet
Thickness	6 mm (10% margin)
Product weight	1044 g/m² (10% margin)
Density	160 kg/m³ (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Wheelchair load (Test method: EN 985)	Suitable
Sound-reducing - ΔLw	35 dB ΔLw
TOG rating	1.85 TOG
Thermal resistance - R-value	0.185 m² K/W
Fire classification	Bfl-s1
VOC label	A+
Green choice label	Yes
Brand	Tredaire
Laying method	Stretching / double-sided bonding
Product dimensions (Length)	11 m (10% margin)
Product dimensions (Width)	1.37 m

Renu 6 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107812

Product dimensions in m2	15.07 m²
Base unit	Roll
Material	100% recycled paper Textron backing printed with vegetable ink. Crepe unbleached 100% recycled paper. Rebond polyurethane foam, green biobased foil made from responsibly sourced sugarcane.

Renu 6 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107812

















