

# Tredaire FR6 6 mm: 11 x 1.37 m (15.07 m<sup>2</sup>)

Art. nr - 114107813

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Perfect for extending the lifespan of carpet in any area where fire resistance is required.

# Tredaire FR6 6 mm: 11 x 1.37 m (15.07 m<sup>2</sup>)

Art. nr - 114107813

## Specifications

Floor type	Carpet
Product weight	1251 g/m <sup>2</sup> (10% margin)
Product dimensions (Length)	11 m (10% margin)
Product dimensions (Width)	1.37 m
Product dimensions in m2	15.07 m <sup>2</sup>
Base unit	Roll
Thickness	6 mm (10% margin)
Density	208 kg/m <sup>3</sup> (10% margin)
Material	Rebond polyurethane foam
Brand	Tredaire
TOG rating	1.68 TOG
Thermal resistance - R-value	0.168 m <sup>2</sup> K/W
Domestic use	Yes
Laying method	Stretching / double-sided bonding
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Sound-reducing - ΔLw	35 dB ΔLw
Flame-retardant	Bfl-S1

# Tredaire FR6 6 mm: 11 x 1.37 m (15.07 m<sup>2</sup>)

Art. nr - 114107813

**estillon**  
WE WILL IMPROVE YOUR FLOOR

