

Sonixx Soundsure 400 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107824

Scan this QR code to view this product on our website.



Description

Acoustic underlay for laminate and parquet.

Sonixx Soundsure 400 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107824

Specifications

Floor type	Laminate / Parquet
Base unit	Roll
Product weight	1652 g/m ²
Product dimensions (Length)	11 m
Product dimensions in m2	15.07 m ²
Thickness	4 mm
Density	413 kg/m ³
Material	Product Construction: Rubber Crumb Bonding Agent: Synthetic Latex
Brand	Sonixx
TOG rating	0.95 TOG
VOC label	A+
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Project use	Yes
Laying method	Floating
Product dimensions (Width)	1.37 m
Product dimensions (Unit)	m ²
Type of base floor	Wooden floor / Fixed sand cement floor

Sonixx Soundsure 400 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107824

Thermal resistance - R-value (Test method: ISO 8302)	0.095 m ² K/W
Sound-reducing Lw (Test method: NEN-EN ISO 717-2)	24 dB Lw
Laying direction	Perpendicular to the laying direction of the upper floor. Prevent the seams of the underlay and the upper floor from aligning.

Sonixx Soundsure 400 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 114107824

estillon
WE WILL IMPROVE YOUR FLOOR

