

Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m²)

Art. nr - 114107836

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Soundsure 300 is an acoustic underlay for commercial environments where you want to reduce impact sound while also needing a stable, comfortable base beneath the floor finish. The underlay supports even load distribution and helps reduce sound transmission between spaces, so you can specify, install and hand over with confidence and without hassle.

- Helps reduce impact sound
- Comfortable and stable base beneath the floor finish

Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m²)

Art. nr - 114107836

estillon
WE WILL IMPROVE YOUR FLOOR

- Suitable for heavily used commercial spaces
- Durable performance over time
- Practical to work with during installation

Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m2)

Art. nr - 114107836

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Laminate / Parquet / Carpet tiles / Ceramic tiles / Porcelain tiles / Natural stone tiles
Product weight	1570 gr/m ²
Product dimensions (Length)	10 m
Product dimensions (Width)	1 m
Product dimensions in m2	10 m ²
Thickness	3 mm
Density	400 kg/m ³
Material	Crumb rubber
Type of substrate	Fixed sand cement floor; Floating screed
Brand	Sonixx
TOG rating	0,60 TOG
Thermal resistance - R-value	0,006 m ² K/W
Suitable for underfloor heating	Yes
Domestic use	Yes
Installation instruction explanation	Perpendicular to the laying direction of the top floor. Prevent the seams of the underlay and the top floor from aligning.
Sound-reducing - ΔLw	21 dB ΔLw
Sound-reducing - ΔLw - Test method	BS EN ISO 10140-3:2010 (without top floor)

Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m2)

Art. nr - 114107836



Flame-retardant	Bfl-S1
-----------------	--------

Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m²)

Art. nr - 114107836

estillon
WE WILL IMPROVE YOUR FLOOR

