

# Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m<sup>2</sup>)

Art. nr - 114107836

Scan this QR code to view this product on our website.



## Description

Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m<sup>2</sup>)

# Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m<sup>2</sup>)

Art. nr - 114107836

## Specifications

Product weight	1570 gr/m <sup>2</sup> (10% margin)
Product dimensions (Length)	10 m (10% margin)
Product dimensions Width (Unit)	m
Product dimensions in m <sup>2</sup>	10 m <sup>2</sup>
Sound-reducing Lw	21
Thickness	3 (10% margin)
Thickness (mm)	mm
Density	400 kg/m <sup>3</sup> (10% margin)
Material	Crumb rubber
Type of substrate	Fixed sand cement floor Floating screed
Brand	Sonixx
Domestic use	Yes
Installation instruction explanation	Perpendicular to the laying direction of the top floor. Prevent the seams of the underlay and the top floor from aligning.
Sound-reducing - Lw - Test method	BS EN ISO 10140-3:2010 (without top floor)
Flame-retardant	Bfl-S1

# Sonixx Soundsure 300 3 mm: 10 x 1 m (10 m<sup>2</sup>)

Art. nr - 114107836

**estillon**  
WE WILL IMPROVE YOUR FLOOR

