

# Egalfloor Classic 7 mm: 85 x 59 cm (7.52 m2)

Art. nr - 620612

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Egalfloor Classic is a high-quality softboard made from softwood, suitable for laminate, parquet and carpet in residential applications.

- Good impact sound insulation
- Can be walked on immediately after installation
- Quick and easy to install
- Strong levelling capacity

# Egalfloor Classic 7 mm: 85 x 59 cm (7.52 m2)

Art. nr - 620612

**estillon**  
WE WILL IMPROVE YOUR FLOOR

## Specifications

Product weight	1820 gr/m <sup>2</sup>
Product dimensions (Length)	850 mm
Product dimensions (Width)	590 mm
Product dimensions in m2	7,52 m <sup>2</sup>
Thickness	7 mm
Density	260 kg/m <sup>3</sup>
Brand	Egalfloor
Formaldehyde (Test method: EN 120)	E-1
TOG rating	1 TOG
Thermal resistance R-value - unit	m <sup>2</sup> K/W
VOC label	ISO 8302
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
PC (Punctual Conformability)	3 mm
CS/CC (compressive Strength / Compressive Creep)	> 50 kPa
Domestic use	Yes
Type of base floor	Fixed sand cement floor / Floating screed
Sound-reducing - ΔLw	19 dB ΔLw
Sound-reducing - ΔLw - Test method	NEN-EN ISO 140-8
Flame-retardant	Efl-S1
Flame-retardant - Test method	EN 13501-1

# Egalfloor Classic 7 mm: 85 x 59 cm (7.52 m2)

Art. nr - 620612



DL (Dynamic Load)	> 150.000 kPa
CS/CC (compressive Strenght / Compressive Creep) - Test method	EN 826 + Annex a

# Egalfloor Classic 7 mm: 85 x 59 cm (7.52 m2)

Art. nr - 620612

**estillon**  
WE WILL IMPROVE YOUR FLOOR

