

Egalfloor 5 mm: 15 x 79 x 59 cm (6,99 m²)

Art. nr - 620811

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Egalfloor 5 mm is a premium softboard made from softwood, perfect for floating laminate and parquet installation at home.

- Easy and quick to lay
- High impact resistance
- Levels uneven surfaces and insulates cold floors
- Good contact insulation
- Applicable with underfloor heating

Egalfloor 5 mm: 15 x 79 x 59 cm (6,99 m²)

Art. nr - 620811

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Laminate / Parquet
Thickness	5 mm
Type of base floor	Fixed sand cement floor / Floating screed
Domestic use	Yes
Bending strength (Test method: EN 310)	1.2 N/mm ²
Product weight	1250 g/m ²
Product dimensions (Length)	790 mm
Product dimensions (Width)	590 mm
Product dimensions in m ²	6.99 m ²
Sound-reducing - ΔL_w	18 dB ΔL_w
TOG rating	0.71 TOG
Thermal resistance - R-value	0.071 m ² K/W
Suitable for underfloor heating	Yes
Moisture content (Test method: EN 322)	\pm 6-12 %
SD (Steam Diffusion)	0.02m
Durability / Thickness swelling after 2 hours (Test method: EN 317)	6
Durability / Thickness swelling after 2 hours - unit	%
Sound-reducing - ΔL_w - Test method	NEN-EN ISO 140-8
Thermal resistance - Test method	ISO 8302

Egalfloor 5 mm: 15 x 79 x 59 cm (6,99 m²)

Art. nr - 620811

Flame-retardant	Efl-S1
Flame-retardant - Test method	EN 13501-1
Density	250 kg/m ³
Material	100% wood fibers (softwood)
Brand	Egalfloor
Formaldehyde (Test method: EN 120)	E-1
Laying method	Floating
Wheelchair load (Test method: EN 985)	Suitable

Egalfloor 5 mm: 15 x 79 x 59 cm (6,99 m²)

Art. nr - 620811

estillon
WE WILL IMPROVE YOUR FLOOR

