Black Square 5 mm

Art. nr - 62280

Scan this QR code to view this product on our website.



Description

Black Square Underlayment 5 mm is a high-quality underlayment made of XPS foam. It is suitable for floating installation of laminate and parquet flooring in residential settings.

- Compression-resistant and lightweight
- 100% recyclable
- Levels uneven surfaces
- Improves thermal insulation
- Easy installation due to floating application and easy to cut
- Made from XPS foam
- Excellent sound insulation up to 10 dB, ΔLlin TÜV certified

Black Square 5 mm

Art. nr - 62280

Specifications

Floor type	Parquet / Laminate
Thickness	5 mm
Type of base floor	Fixed sand cement floor / Floating screed
Domestic use	Yes
Sound-reducing - ΔLlin	10 dB ΔLlin
Product weight	180 g/m²
Product dimensions (Length)	845 mm
Product dimensions (Width)	585 mm
Product dimensions in m2	7.41 m²
Sound-reducing - ΔLw	21 dB ΔLw
TOG rating	1.92 TOG
Thermal resistance - R-value	0.192 m² K/W
TUV certificate	Yes
Green choice label	Yes
Sound-reducing - ΔLlin - Test method	EN-ISO 10140-1 - 5:2021 / EN-ISO 717-2:2021
Sound-reducing - ΔLw - Test method	EN-ISO 10140-1 - 5:2021 / EN-ISO 717-2:2021
Density	35 kg/m³
Material	XPS foam
Brand	Estillon
Laying method	Floating

Black Square 5 mm

Art. nr - 62280



