### Luxerton Supreme 3 mm: 30 x 1 m (30 m<sup>2</sup>)

Art. nr - 67910

Scan this QR code to view this product on our website.

# Description

Luxerton Supreme is a lightweight non-slip underlay made from high-quality needle felt with a doublesided latex non-slip coating. The rolls are coated with a film. It creates a comfortable and reliable foundation and prevents carpets from slipping dangerously. Contains no plasticizers and is applicable on carpet, parquet, laminate, ceramics, cork, PVC, and is suitable for both household and project use. -Lightweight and easy to install - Levels out minor unevenness in the base floor - Extends the lifespan and preserves the original appearance of the carpet - Produced in an eco-friendly manner - Suitable for use in combination with underfloor heating











## Specifications

Floor type	Area rugs
Base unit	Roll
Product weight	250 g/m <sup>2</sup>
Product dimensions (Length)	30 m
Product dimensions in m2	30 m <sup>2</sup>
Thickness	3 mm
Density	83 kg/m <sup>3</sup>
Material	High-quality needle felt with a double-sided latex anti-slip coating
Brand	Luxerton
TOG rating	0.60 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Width)	1 m
Product dimensions (Unit)	m²
Type of base floor	Fixed sand cement floor / Floating screed
Thermal resistance - R-value (Test method: ISO 8302)	0.060 m <sup>2</sup> K/W

## Luxerton Supreme 3 mm: 30 x 1 m (30 m<sup>2</sup>)

Art. nr - 67910



Laying direction	Install Luxerton Supreme under the carpet. Ensure that Luxerton Supreme is at least 50 mm smaller than the back of the carpet. For the rolls of Luxerton Supreme,
	please remove the foil.

#### Luxerton Supreme 3 mm: 30 x 1 m (30 m<sup>2</sup>)

Art. nr - 67910





