

# Luxerton Supreme 3 mm: 60 x 130 cm (19.50 m<sup>2</sup>)

Art. nr - 67960

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Luxerton Supreme is a lightweight nonslip underlay made from high-quality needle felt with a double-sided latex nonslip coating. The rolls are covered with a film. It creates a reliable and comfortable base while preventing curling of carpets. It is free of plasticizers and can be used on carpet, parquet, laminate, ceramics, cork, and LVT. Suitable for both residential and project use.

- Lightweight and easy to install
- Levels out small unevenness in the subfloor
- Extends the lifespan and preserves the original appearance of the carpet
- Environmentally friendly production
- Suitable for use with underfloor heating

# Luxerton Supreme 3 mm: 60 x 130 cm (19.50 m<sup>2</sup>)

Art. nr - 67960



## Specifications

Floor type	Area rugs
Product weight	250 g/m <sup>2</sup>
Product dimensions (Length)	60 cm
Product dimensions (Width)	130 cm
Product dimensions in m <sup>2</sup>	19.5 m <sup>2</sup>
Base unit	Roll
Thickness	3 mm
Density	83 kg/m <sup>3</sup>
Material	High-quality needle felt with a double-sided latex anti-slip coating
Brand	Luxerton
Thermal resistance - R-value	0.06 m <sup>2</sup> K/W
TOG rating	0.6 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Unit)	m <sup>2</sup>
Type of base floor	Fixed sand cement floor / Floating screed

# Luxerton Supreme 3 mm: 60 x 130 cm (19.50 m<sup>2</sup>)

Art. nr - 67960

**estillon**  
WE WILL IMPROVE YOUR FLOOR



16.0.98971  
Hohenstein

