

Luxerton Supreme 3 mm: 60 x 130 cm (19.50 m²)

Art. nr - 67960

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Luxerton Supreme is a lightweight nonslip underlay made from high-quality needle felt with a double-sided latex nonslip coating. The rolls are covered with a film. It creates a reliable and comfortable base while preventing curling of carpets. It is free of plasticizers and can be used on carpet, parquet, laminate, ceramics, cork, and PVC. Suitable for both residential and project use. - Lightweight and easy to install - Levels out small unevenness in the subfloor - Extends the lifespan and preserves the original appearance of the carpet - Environmentally friendly production - Suitable for use with underfloor heating

Luxerton Supreme 3 mm: 60 x 130 cm (19.50 m²)

Art. nr - 67960



Specifications

Floor type	Area rugs
Base unit	Roll
Product weight	250 g/m ²
Product dimensions (Length)	60 cm
Product dimensions in m2	19.5 m ²
Thickness	3 mm
Density	83 kg/m ³
Material	High-quality needle felt with a double-sided latex anti-slip coating
Brand	Luxerton
TOG rating	0.60 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Width)	130 cm
Product dimensions (Unit)	m ²
Type of base floor	Fixed sand cement floor / Floating screed
Thermal resistance - R-value (Test method: ISO 8302)	0.060 m ² K/W

Luxerton Supreme 3 mm: 60 x 130 cm (19.50 m²)

Art. nr - 67960



Laying direction	Install Luxerton Supreme under the carpet. Ensure that Luxerton Supreme is at least 50 mm smaller than the back of the carpet. For the rolls of Luxerton Supreme, please remove the foil.
------------------	---

Luxerton Supreme 3 mm: 60 x 130 cm (19.50 m²)

Art. nr - 67960

estillon
WE WILL IMPROVE YOUR FLOOR

