

Scan this QR code to view this product on our website.



Description

Luxerton Supreme is a lightweight non-slip underlay made from high-quality needle felt with a double-sided latex non-slip coating. The rolls are coated with a film. It creates a comfortable and reliable foundation and prevents carpets from slipping dangerously. Contains no plasticizers and is applicable on carpet, parquet, laminate, ceramics, cork, LVT, and is suitable for both household and project use.

- Lightweight and easy to install
- Levels out minor unevenness in the base floor
- Extends the lifespan and preserves the original appearance of the carpet
- Produced in an eco-friendly manner

Luxerton Supreme 3 mm: 8 x 130 x 190 cm (19,76 m²)

Art. nr - 67961



- Suitable for use in combination with underfloor heating

Specifications

| | |
|---------------------------------|--|
| Floor type | Area rugs |
| Thickness | 3 mm |
| Type of base floor | Fixed sand cement floor / Floating screed |
| Domestic use | Yes |
| Product weight | 250 g/m ² |
| Product dimensions (Length) | 130 cm |
| Product dimensions (Width) | 190 cm |
| Product dimensions in m2 | 19.76 m ² |
| TOG rating | 0.6 TOG |
| Thermal resistance - R-value | 0.06 m ² K/W |
| Suitable for underfloor heating | Yes |
| Suitable for floor cooling | Yes |
| Density | 83 kg/m ³ |
| Material | High-quality needle felt with a double-sided latex anti-slip coating |
| Brand | Luxerton |
| Laying method | Floating |

Luxerton Supreme 3 mm: 8 x 130 x 190 cm (19,76 m²)

Art. nr - 67961

estillon
WE WILL IMPROVE YOUR FLOOR

