

Luxerton Supreme 3 mm: 190 x 290 cm (22.04 m²)

Art. nr - 67964

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Luxerton Supreme is a lightweight non-slip underlay made from high-quality needle felt with a double-sided latex non-slip coating. The rolls come with a protective film. It provides a comfortable and reliable base and prevents carpets from slipping. It contains no plasticizers and is applicable on carpet, parquet, laminate, ceramics, cork, PVC, and is suitable for both residential and project use. - Lightweight and easy to install - Levels out minor imperfections in the base floor - Extends the lifespan and maintains the original appearance of the carpet - Environmentally friendly produced - Suitable for use with underfloor heating

Luxerton Supreme 3 mm: 190 x 290 cm (22.04 m²)

Art. nr - 67964

Specifications

Floor type	Area rugs
Base unit	Box
Product weight	250 g/m ²
Product dimensions (Length)	190 cm
Product dimensions in m ²	22.04 m ²
Thickness	3 mm
Density	83 kg/m ³
Material	High-quality needle felt with a double-sided latex anti-slip coating
Brand	Luxerton
TOG rating	0.60 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Width)	290 cm
Product dimensions (Unit)	m ²
Type of base floor	Fixed sand cement floor / Floating screed

Luxerton Supreme 3 mm: 190 x 290 cm (22.04 m²)

Art. nr - 67964



Thermal resistance - R-value (Test method: ISO 8302)	0.060 m ² K/W
Laying direction	Install Universal Stop under the carpet. Ensure that Universal Stop is at least 50 mm smaller than the backing of the carpet. Universal Stop under carpet backing: light gray side up, black side down. Universal Stop on laminate: black side down. Universal Stop on carpet: light gray side down.

Luxerton Supreme 3 mm: 190 x 290 cm (22.04 m²)

Art. nr - 67964

estillon
WE WILL IMPROVE YOUR FLOOR

