Luxerton Supreme 3 mm: 190 x 290 cm (22.04 m²)

Art. nr - 67964



Scan this QR code to view this product on our website.





Description

Luxerton Supreme is a lightweight non-slip underlay made from high-quality needle felt with a double-sided latex non-slip coating. The rolls come with a protective film. It provides a comfortable and reliable base and prevents carpets from slipping. It contains no plasticizers and is applicable on carpet, parquet, laminate, ceramics, cork, PVC, and is suitable for both residential and project use. - Lightweight and easy to install - Levels out minor imperfections in the base floor - Extends the lifespan and maintains the original appearance of the carpet - Environmentally friendly produced - Suitable for use with underfloor heating

Luxerton Supreme 3 mm: 190 x 290 cm (22.04 m²)

Art. nr - 67964



Specifications

UOM Description	Pallet
Floor type	Area rugs
Product weight	250 g/m ²
Product dimensions (Length)	190 cm
Product dimensions (Width)	290 cm
Product dimensions in m2	22.04 m²
Base unit	Box
Thickness	3 mm
Density	83 kg/m³
Material	High-quality needle felt with a double-sided latex anti-slip coating
Brand	Luxerton
TOG rating	0.60 TOG
Thermal resistance - R-value	0.060 m ² K/W
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Unit)	m ²
Type of base floor	Fixed sand cement floor / Floating screed
Display name	Luxerton Supreme 3 mm: 4 x 190 x 290 cm (22,04 m²)

Luxerton Supreme 3 mm: 190 x 290 cm (22.04 m²)

Art. nr - 67964





