

# Universal Stop 2.5 mm: 160 x 230 cm (25.76 m<sup>2</sup>)

Art. nr - 68022

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Universal Stop is a non-slip underlay made from recycled polyester and suitable for carpet, parquet, laminate, ceramics, marble, cork, and PVC. This lightweight underlay provides a solid base under any carpet and enhances the luxury and comfort of your floors. It is ideal for both residential and project use. - Lightweight and easy to install - Smooths out small imperfections in the subfloor - Leaves no residue - Extends the life of the carpet and preserves its original appearance - Environmentally friendly and 100% recyclable - Perfectly suitable for underfloor heating

# Universal Stop 2.5 mm: 160 x 230 cm (25.76 m<sup>2</sup>)

Art. nr - 68022

**estillon**  
WE WILL IMPROVE YOUR FLOOR

## Specifications

Floor type	Area rugs
Base unit	Pack
Product weight	240 g/m <sup>2</sup>
Product dimensions (Length)	160 cm
Product dimensions in m <sup>2</sup>	25.76 m <sup>2</sup>
Thickness	2.5 mm
Density	96 kg/m <sup>3</sup>
Material	85% polyester made from recycled polyester made from 'recycled fibers post-consumer waste and post-industrial waste' 15% 'new fibers'
Brand	Estillon
TOG rating	0.60 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Width)	230 cm
Product dimensions (Unit)	m <sup>2</sup>

# Universal Stop 2.5 mm: 160 x 230 cm (25.76 m<sup>2</sup>)

Art. nr - 68022



Type of base floor	Fixed sand cement floor / Floating screed
Thermal resistance - R-value (Test method: ISO 8302)	0.060 m <sup>2</sup> K/W
Laying direction	Install Universal Stop under the carpet. Ensure that Universal Stop is at least 50 mm smaller than the backing of the carpet. Universal Stop under carpet backing: light gray side up, black side down. Universal Stop on laminate: black side down. Universal Stop on carpet: light gray side down.

# Universal Stop 2.5 mm: 160 x 230 cm (25.76 m<sup>2</sup>)

Art. nr - 68022

