

Universal Stop 2.5 mm: 190 x 290 cm (27.55 m²)

Art. nr - 68023

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Universal Stop is a non-slip underlay produced from recycled polyester, applicable on carpet, parquet, laminate, ceramic, marble, cork, and PVC. This lightweight underlay provides a reliable base for any carpet, enhancing the luxury and comfort experience, and is ideal for both residential and project use. - Lightweight and easy to install - Levels out minor imperfections in the subfloor - Leaves no residue - Extends the lifespan and preserves the original appearance of the carpet - Environmentally friendly and 100% recyclable - Highly suitable for underfloor heating

Universal Stop 2.5 mm: 190 x 290 cm (27.55 m²)

Art. nr - 68023

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Area rugs
Base unit	Box
Product weight	240 g/m ²
Product dimensions (Length)	190 cm
Product dimensions in m ²	27.55 m ²
Thickness	2.5 mm
Density	96 kg/m ³
Material	85% polyester made from recycled polyester made from 'recycled fibers post-consumer waste and post-industrial waste' 15% 'new fibers'
Brand	Estillon
TOG rating	0.60 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Width)	290 cm
Product dimensions (Unit)	m ²

Universal Stop 2.5 mm: 190 x 290 cm (27.55 m²)

Art. nr - 68023

Type of base floor	Fixed sand cement floor / Floating screed
Thermal resistance - R-value (Test method: ISO 8302)	0.060 m ² K/W
Laying direction	Install Universal Stop under the carpet. Ensure that Universal Stop is at least 50 mm smaller than the back of the carpet. Universal Stop under carpet backing: light gray side up, black side down. Universal Stop on laminate: black side down. Universal Stop on carpet: light gray side down.

Universal Stop 2.5 mm: 190 x 290 cm (27.55 m²)

Art. nr - 68023

