

Luxerton Standard 2 mm: 160 x 230 cm (36.8 m²)

Art. nr - 68073

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Luxerton Standard is a non-slip underlay made from latex-impregnated needle felt. This lightweight underlay creates a reliable foundation for any type of carpet. It is free from plasticizers and enhances the comfort and luxury of your carpet. Suitable for use on carpets, parquet, laminate, ceramic tiles, cork, and PVC. - Lightweight and easy to install - Levels out minor irregularities in the subfloor - Prolongs the lifespan and preserves the original appearance of the carpet - Environmentally friendly production - Suitable for use with underfloor heating

Luxerton Standard 2 mm: 160 x 230 cm (36.8 m²)

Art. nr - 68073

Specifications

Floor type	Area rugs
Product weight	150 g/m ²
Product dimensions (Length)	160 cm
Product dimensions (Width)	230 cm
Product dimensions in m2	36.8 m ²
Base unit	Box
Thickness	2 mm
Density	75 kg/m ³
Brand	Luxerton
Laying method	Floating
Material	Made of latex impregnated needled felt
Product dimensions (Unit)	m ²
TOG rating	0.60 TOG
Thermal resistance - R-value	0.060 m ² K/W
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Type of base floor	Fixed sand cement floor / Floating screed

Luxerton Standard 2 mm: 160 x 230 cm (36.8 m²)

Art. nr - 68073

