

Luxerton Standard 2 mm: 40 x 2 m (80 m²)

Art. nr - 68077

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Luxerton Standard is a non-slip underlay crafted from latex-impregnated needle felt. This lightweight underlay creates a stable foundation for any carpet and is free from plasticizers, enhancing the luxurious feel and comfort of your flooring. It is suitable for use on carpets, parquet, laminate, ceramics, cork, and PVC. - Lightweight and easy to install - Levels minor imperfections in the subfloor - Extends the lifespan and preserves the original look of the carpet - Environmentally friendly production - Suitable for use with underfloor heating

Luxerton Standard 2 mm: 40 x 2 m (80 m²)

Art. nr - 68077

Specifications

UOM Description	Roll
Floor type	Area rugs
Product weight	150 g/m ²
Product dimensions (Length)	40 m
Product dimensions (Width)	2 m
Product dimensions in m2	80 m ²
Base unit	Roll
Thickness	2 mm
Density	75 kg/m ³
Material	Made of latex impregnated needle felt
Brand	Luxerton
TOG rating	0.60 TOG
Thermal resistance - R-value	0.060 m ² K/W
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Laying method	Floating
Product dimensions (Unit)	m ²
Type of base floor	Fixed sand cement floor / Floating screed
Display name	Luxerton Standard 2 mm: 40 x 2 m (80 m ²)

Luxerton Standard 2 mm: 40 x 2 m (80 m²)

Art. nr - 68077

