Black Magic 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 681171

Scan this QR code to view this product on our website.



Description

Black Magic is an underlay made from 100% SBR rubber. This heavy rubber underlay creates a stable, comfortable, and durable foundation for any installation. It enhances the luxury and comfort of the carpet and is suitable for residential, light, and heavy project use. - Stable and easy to install - Levels out small imperfections in the subfloor - Extends the lifespan and maintains the original appearance of the carpet - Particularly suitable for underfloor heating

Black Magic 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 681171

Specifications

Floor type	Carpet
Thickness	4 mm (10% margin)
Product weight	2339 g/m² (10% margin)
Density	584 kg/m³ (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Wheelchair load (Test method: EN 985)	Suitable, provided it is double-sided glued
Sound-reducing - ΔLw	25 dB ΔLw
TOG rating	0.8 TOG
Thermal resistance - R-value	0.08 m² K/W
Fire classification	Bfl-s1
Brand	Estillon
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Laying method	Tensioning / double-sided adhesive
Product dimensions (Length)	11 m (10% margin)
Product dimensions (Width)	1.37 m
Product dimensions in m2	15.07 m²

Black Magic 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 681171

Base unit	Roll
Material	Top layer: Fiber-reinforced non-wovenMiddle layer: 100% SBR rubberBottom layer: Polyester non-woven

Black Magic 4 mm: 11 x 1.37 m (15.07 m²)

Art. nr - 681171

