

Black Diamond 6 mm: 7.3 x 1.37 m (10 m²)

Art. nr - 681211

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Black Diamond is an underlay made from waffle sponge rubber. This heavy rubber underlay provides a stable, comfortable, and durable foundation for any installation. It enhances the luxury and comfort of the carpet and is suitable for both residential and commercial use. - Stable and easy to handle - Levels out imperfections in the subfloor - Extends the lifespan and maintains the original appearance of the carpet - Offers optimal comfort and a sense of luxury - Particularly suitable for underfloor heating

Black Diamond 6 mm: 7.3 x 1.37 m (10 m²)

Art. nr - 681211

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

| | |
|---------------------------------------|--|
| Floor type | Carpet |
| Product weight | 3017 g/m ² (10% margin) |
| Product dimensions (Length) | 7.3 m (10% margin) |
| Product dimensions (Width) | 1.37 m |
| Product dimensions in m2 | 10 m ² |
| Base unit | Roll |
| Thickness | 6.1 mm (10% margin) |
| Density | 494 kg/m ³ (10% margin) |
| Material | Upper layer: Crêpe with stitched polyester thread Under layer: Waffle sponge rubber |
| Brand | Estillon |
| TOG rating | 0.75 TOG |
| Thermal resistance - R-value | 0.075 m ² K/W |
| Suitable for underfloor heating | Yes |
| Suitable for floor cooling | Yes |
| Domestic use | Yes |
| Project use | Yes |
| Laying method | Stretching / double-sided gluing |
| Type of base floor | Wooden floor / Fixed sand cement floor / Floating screed |
| Wheelchair load (Test method: EN 985) | Suitable |

Black Diamond 6 mm: 7.3 x 1.37 m (10 m²)

Art. nr - 681211

| | |
|-------------------------------|--------------------|
| Sound-reducing - ΔL_w | 31 dB ΔL_w |
| Flame-retardant | Bfl-S1 |

Black Diamond 6 mm: 7.3 x 1.37 m (10 m²)

Art. nr - 681211

estillon
WE WILL IMPROVE YOUR FLOOR

