

Timbermate Excel 3,6 mm: 11 x 1,37 m (15,07 m²)

Art. nr - 68589

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Sound reducing underlayment for laminate and hardwood. Duralay Timbermate Excel, along with Silentfloor Gold, is part of the Timbermate underlayment range. Timbermate Excel reduces noise in the space by up to 30% and features an aluminum foil to prevent moisture.

- Reduces noise by up to 30%
- Specialized underlayment for hardwood and laminate
- Quick and easy to install Includes a moisture barrier

Timbermate Excel 3,6 mm: 11 x 1,37 m (15,07 m²)

Art. nr - 68589

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Parquet / Laminate
Thickness	3.6 mm
Type of base floor	Fixed sand cement floor / Floating screed
Domestic use	Yes
CS/CC (compressive Strength / Compressive Creep)	43.1 kPa
Product weight	2545 g/m ²
Product dimensions (Length)	11 m
Product dimensions (Width)	1.37 m
Product dimensions in m ²	15.07 m ²
Sound-reducing - ΔL_w	23 dB ΔL_w
TOG rating	0.55 TOG
Thermal resistance - R-value	0.055 m ² K/W
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Flame-retardant	Cfl-S1
Density	707 kg/m ³
Material	Sponge rubber
Brand	Duralay
Laying method	Floating
Installation instruction explanation	Install with the aluminium side facing up.
CS/CC (Compressive Strength / Compressive Creep)	43.1 kPa

Timbermate Excel 3,6 mm: 11 x 1,37 m (15,07 m2)

Art. nr - 68589



Hospitality Collection	Yes
------------------------	-----

Timbermate Excel 3,6 mm: 11 x 1,37 m (15,07 m²)

Art. nr - 68589

estillon
WE WILL IMPROVE YOUR FLOOR

