

Royale 550 5.5 mm: 7.52 x 1.33 m (10 m²)

Art. nr - 68590

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

A durable yet comfortable underlay suitable for stretch fit installations. Ideal for stretch-fit carpet installation. Flat sponge rubber. HC/U, heavy-duty contract use.

Royale 550 5.5 mm: 7.52 x 1.33 m (10 m²)

Art. nr - 68590

Specifications

Floor type	Carpet
Base unit	Roll
Product weight	2712 g/m ²
Product dimensions (Length)	7.52 m
Product dimensions in m2	10 m ²
Thickness	5.5 mm
Density	493 kg/m ³
Material	Sponge rubber with flat structure
Brand	Tredaire
TOG rating	0.70 TOG
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Domestic use	Yes
Project use	Yes
Laying method	Stretch / double-sided gluing
Product dimensions (Width)	1.33 m
Product dimensions (Unit)	m ²
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Thermal resistance - R-value (Test method: ISO 8302)	0.070 m ² K/W

Royale 550 5.5 mm: 7.52 x 1.33 m (10 m²)

Art. nr - 68590

Sound-reducing Lw (Test method: NEN-EN ISO 717-2)	30 dB Lw
Laying direction	Perpendicular to the laying direction of the carpet. Prevent the seams of the undercarpet and the carpet from coinciding.
Suitable for stair installation	Yes

Royale 550 5.5 mm: 7.52 x 1.33 m (10 m²)

Art. nr - 68590

estillon
WE WILL IMPROVE YOUR FLOOR

