

# Royale 550 5,5 mm: 7,52 x 1,33 m (10 m<sup>2</sup>)

Art. nr - 68590

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

A durable yet comfortable underlay suitable for stretch fit installations.

- Ideal for stretch-fit carpet installation
- Flat sponge rubber
- HC/U, heavy-duty contract use

# Royale 550 5,5 mm: 7,52 x 1,33 m (10 m2)

Art. nr - 68590

## Specifications

Floor type	Carpet
Thickness	5.5 mm (10% margin)
Product weight	2712 g/m <sup>2</sup> (10% margin)
Density	493 kg/m <sup>3</sup> (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Sound-reducing - $\Delta L_w$	30 dB $\Delta L_w$
TOG rating	0.7 TOG
Thermal resistance - R-value	0.07 m <sup>2</sup> K/W
Brand	Tredaire
Suitable for underfloor heating	Yes
Suitable for floor cooling	Yes
Laying method	Stretch / double-sided gluing
Product dimensions (Length)	7.52 m (10% margin)
Product dimensions (Width)	1.33 m
Product dimensions in m2	10 m <sup>2</sup>
Base unit	Roll
Material	Sponge rubber with flat structure

# Royale 550 5,5 mm: 7,52 x 1,33 m (10 m<sup>2</sup>)

Art. nr - 68590

**estillon**  
WE WILL IMPROVE YOUR FLOOR

