

# Egalbase 7 mm: 10 x 1.50 m (15m<sup>2</sup>)

Art. nr - 716711

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Egalbase 7 mm is a premium underlay crafted from recycled polyurethane foam with a fixation layer. This lightweight and durable foam ensures stable installation and enhances the comfort of your carpet. It is suitable for residential use in living rooms, bedrooms, hallways, and stairs, as well as for commercial applications like entrances, restaurants, and hotel rooms.

- Excellent resilience
- Lightweight and easy to handle
- Environmentally friendly and 100% recycled

# Egalbase 7 mm: 10 x 1.50 m (15m<sup>2</sup>)

Art. nr - 716711

## Specifications

Floor type	Carpet
Product weight	1120 g/m <sup>2</sup> (10% margin)
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1.5 m
Product dimensions in m <sup>2</sup>	15 m <sup>2</sup>
Base unit	Roll
Thickness	7 mm (10% margin)
Density	160 kg/m <sup>3</sup> (10% margin)
Material	Top layer: Crêpe Middle layer: Rebond polyurethane foam Bottom layer: Spunbond polypropylene non-woven slip-resistant layer
Brand	Best Base
TOG rating	2.1 TOG
Thermal resistance - R-value	0.21 m <sup>2</sup> K/W
Domestic use	Yes
Project use	Yes
Laying method	Stretch / double-sided adhesive
Green choice label	Yes
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Wheelchair load (Test method: EN 985)	Suitable

# Egalbase 7 mm: 10 x 1.50 m (15m<sup>2</sup>)



Art. nr - 716711

Sound-reducing - $\Delta L_w$	26 dB $\Delta L_w$
Flame-retardant	Bfl-S1
Flame-retardant - Test method	EN ISO 9239-1

# Egalbase 7 mm: 10 x 1.50 m (15m<sup>2</sup>)

Art. nr - 716711

**estillon**  
WE WILL IMPROVE YOUR FLOOR



**estillon**  
GREEN CHOICE

