

# Elegance Black 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)

Art. nr - 71675

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Elegance Black is an underlay made from premium recycled rebond polyurethane foam. Its lightweight design guarantees a stable and durable installation, enhancing the luxury and comfort of carpets. Elegance Black is suitable for both residential and commercial use, including entrances, restaurants, hallways, rooms, and stairs.

- Excellent impression recovery capability
- Lightweight and easy to work with
- Environmentally friendly and 100% recycled

# Elegance Black 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)

Art. nr - 71675

**estillon**  
WE WILL IMPROVE YOUR FLOOR

## Specifications

Floor type	Carpet
Thickness	4 mm (10% margin)
Product weight	960 g/m <sup>2</sup> (10% margin)
Density	240 kg/m <sup>3</sup> (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Wheelchair load (Test method: EN 985)	Suitable, provided double-sidedly glued
Sound-reducing - $\Delta L_w$	25 dB $\Delta L_w$
TOG rating	1.6 TOG
Thermal resistance - R-value	0.16 m <sup>2</sup> K/W
Flame-retardant	Cfl-S1
Flame-retardant - Test method	EN ISO 9239-1
Green choice label	Yes
DIBT certificate	Z-158.10-93
Brand	Best Base
Laying method	Stretching / double-sided adhesive
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1.5 m
Product dimensions in m <sup>2</sup>	15 m <sup>2</sup>

# Elegance Black 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)


Art. nr - 71675

Base unit	Roll
Material	Top layer: Fire-retardant crepe / Middle layer: Rebond polyurethane foam / Bottom layer: Spunbond polypropylene non-woven
Bending strength (Test method: EN 310)	40 N/mm <sup>2</sup>
Dimensional stability tensile strength / Long / MD	149
Dimensional stability tensile strength / Long / MD - unit	N
Dimensional stability tensile strength / Cross / CD	73
Dimensional stability tensile strength / Cross / CD- unit	N
Dimensional stability tensile strength / Cross / CD - Test method	ISO 13934-1
Dimensional stability elongation / stretch / Long / MD	5

# Elegance Black 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)

Art. nr - 71675

**estillon**  
WE WILL IMPROVE YOUR FLOOR



**estillon**  
GREEN CHOICE

