

Elegance Black FR 6 mm: 10 x 1,50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Elegance Black FR is an underlay crafted from premium recycled rebond polyurethane foam. This lightweight material ensures a stable and durable installation while enhancing the luxury and comfort of carpets. It's suitable for both residential and commercial use, including entries, restaurants, corridors, rooms, and stairs.

- Excellent resilience
- Lightweight and easy to handle
- Environmentally friendly and 100% recycled
- Fire retardant Bfl-S1

Elegance Black FR 6 mm: 10 x 1,50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Carpet
Thickness	6 mm (10% margin)
Product weight	1360 g/m ² (10% margin)
Density	226 kg/m ³ (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Wheelchair load (Test method: EN 985)	Suitable, provided double-sided adhesive
Sound-reducing - ΔLw	34 dB ΔLw
TOG rating	2.1 TOG
Thermal resistance - R-value	0.21 m ² K/W
Flame-retardant	Bfl-S1
Flame-retardant - Test method	EN ISO 9239-1
Green choice label	Yes
DIBT certificate	Z-158.10-93
Brand	Best Base
Laying method	Stretching / double-sided adhesive
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1.5 m
Product dimensions in m ²	15 m ²

Elegance Black FR 6 mm: 10 x 1,50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

Base unit	Roll
Material	Top layer: flame-retardant carpet Middle layer: rebond polyurethane foam Bottom layer: spunbond polypropylene non-woven
Bending strength (Test method: EN 310)	40 N/mm ²
Sound-reducing - ΔL_w - Test method	ISO 1014-3:2010
Dimensional stability tensile strength / Long / MD	149
Dimensional stability tensile strength / Long / MD - unit	N
Dimensional stability tensile strength / Cross / CD	73
Dimensional stability tensile strength / Cross / CD- unit	N
Dimensional stability tensile strength / Cross / CD - Test method	ISO 13934-1
Dimensional stability elongation / stretch / Long / MD	5

Elegance Black FR 6 mm: 10 x 1,50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

