

Elegance Black FR 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Elegance Black FR is an underlay crafted from premium recycled rebond polyurethane foam. This lightweight material ensures a stable and durable installation while enhancing the luxury and comfort of carpets. It's suitable for both residential and commercial use, including entries, restaurants, corridors, rooms, and stairs.

- Excellent resilience
- Lightweight and easy to handle
- Environmentally friendly and 100% recycled
- Fire retardant Bfl-S1

Elegance Black FR 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Carpet
Product weight	1360 g/m ² (10% margin)
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1.5 m
Product dimensions in m ²	15 m ²
Base unit	Roll
Thickness	6 mm (10% margin)
Density	226 kg/m ³ (10% margin)
Material	Top layer: flame-retardant carpet Middle layer: rebond polyurethane foam Bottom layer: spunbond polypropylene non-woven
Brand	Best Base
TOG rating	2.1 TOG
Thermal resistance - R-value	0.21 m ² K/W
Domestic use	Yes
Project use	Yes
Laying method	Stretching / double-sided adhesive
DIBT certificate	Z-158.10-93
Green choice label	Yes
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Bending strength (Test method: EN 310)	40 N/mm ²

Elegance Black FR 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

Wheelchair load (Test method: EN 985)	Suitable, provided double-sided adhesive
Sound-reducing - ΔLw	34 dB ΔLw
Sound-reducing - ΔLw - Test method	ISO 1014-3:2010
Flame-retardant	Bfl-S1
Flame-retardant - Test method	EN ISO 9239-1
Dimensional stability tensile strength / Long / MD	149
Dimensional stability tensile strength / Long / MD - unit	N
Dimensional stability tensile strength / Cross / CD	73
Dimensional stability tensile strength / Cross / CD- unit	N
Dimensional stability tensile strength / Cross / CD - Test method	ISO 13934-1
Dimensional stability elongation / stretch / Long / MD	5

Elegance Black FR 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71676

estillon
WE WILL IMPROVE YOUR FLOOR

