

# Elegance Green 7 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 717021

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Elegance Green 7 mm is a premium underlay for residential use, developed for carpet applications where luxury and comfort are paramount.

The underlay is produced from high-quality, clean recycled rebond polyurethane foam based on post-consumer materials, meticulously selected for consistent and durable performance. It guarantees a stable, long-lasting installation and amplifies the feeling of luxury and comfort of the carpet.

Elegance Green 7 mm serves as a comfortable and high-quality foundation for carpets in living environments where aesthetics, feel, and quality are significant.

# Elegance Green 7 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 717021

## Key Features

- Premium underlay for residential use
- Focus on luxury and comfort
- Made from high-quality, clean recycled rebond polyurethane foam made from post-consumer materials
- Consistent and durable performance
- Stable and long-lasting installation
- Enhances the luxury and comfort of the carpet

# Elegance Green 7 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 717021

**estillon**  
WE WILL IMPROVE YOUR FLOOR

## Specifications

Floor type	Carpet
Product weight	1190 gr/m <sup>2</sup> (10% margin)
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1,5 m
Product dimensions in m2	15 m <sup>2</sup>
Base unit	Roll
Thickness	7 mm (10% margin)
Density	170 kg/m <sup>3</sup> (10% margin)
Material	Top Layer: Crêpe / Middle Layer: Rebond polyurethane foam / Bottom Layer: Spunbond polypropylene non-woven
Type of substrate	Wooden subfloor / Timber floor Solid cement screed / Fixed sand-cement floor Floating screed
Brand	Best Base
TOG rating	1,83 TOG
Thermal resistance - R-value	0,183 m <sup>2</sup> K/W
Thermal resistance - Test method	ISO 8302:1991; EN 12667:2001
Domestic use	Yes
Laying method	Stretch fitting / double-sided bonding
Installation instruction explanation	Perpendicular to the laying direction of the carpet. Prevent the seams of the underlay and the carpet from coinciding
Stair installation suitable	Yes
Green choice label	Yes

# Elegance Green 7 mm: 10 x 1.50 m (15 m<sup>2</sup>)



Art. nr - 717021

Wheelchair load (Test method: EN 985)	Suitable
Sound-reducing - $\Delta Lw$	47 dB $\Delta Lw$
Sound-reducing - $\Delta Lw$ - Test method	ISO 10140-3:2021
Flame-retardant	Bfl-s1
Flame-retardant - Test method	EN 13501-1 (2018)
Dimensional stability tensile strength / Long / MD	Passed

# Elegance Green 7 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 717021

**estillon**  
WE WILL IMPROVE YOUR FLOOR



**estillon**  
GREEN CHOICE

