

# Starbase 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)

Art. nr - 71820

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Starbase is an underlay made from high-quality recycled rebond polyurethane foam. The lightweight foam guarantees a stable and durable installation and enhances the luxury and comfort of the carpet. Starbase is suitable for both residential and commercial applications, such as entrances, restaurants, corridors, rooms, and stairs.

- Exceptional indentation recovery
- Lightweight and easy to handle
- Environmentally friendly and 100% recycled
- Fire retardant Euroclass Bfl-S1

# Starbase 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)

Art. nr - 71820

## Specifications

Floor type	Carpet
Thickness	4 mm (10% margin)
Product weight	640 g/m <sup>2</sup> (10% margin)
Density	160 kg/m <sup>3</sup> (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Wheelchair load (Test method: EN 985)	Suitable
Sound-reducing - $\Delta L_w$	25 dB $\Delta L_w$
TOG rating	1.6 TOG
Thermal resistance - R-value	0.16 m <sup>2</sup> K/W
Flame-retardant	Bfl-S1
Flame-retardant - Test method	EN 13501-1 (2007) + A1 (2013)
Green choice label	Yes
DIBT certificate	Z-158.10-93
Brand	Best Base
Laying method	Stretching / double-sided gluing
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1.5 m

# Starbase 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)

Art. nr - 71820



Product dimensions in m2	15 m <sup>2</sup>
Base unit	Roll
Material	Top layer: Crêpe, Middle layer: Rebond polyurethane foam, Bottom layer: Spunbond polypropylene non-woven

# Starbase 4 mm: 10 x 1,50 m (15 m<sup>2</sup>)

Art. nr - 71820

**estillon**  
WE WILL IMPROVE YOUR FLOOR

