

# Starbase 4 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71820

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Starbase is an underlay made from high-quality recycled rebond polyurethane foam. The lightweight foam guarantees a stable and durable installation and enhances the luxury and comfort of the carpet. Starbase is suitable for both residential and commercial applications, such as entrances, restaurants, corridors, rooms, and stairs. - Exceptional indentation recovery - Lightweight and easy to handle - Environmentally friendly and 100% recycled - Fire retardant Euroclass Bfl-S1

# Starbase 4 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71820

## Specifications

Floor type	Carpet
Base unit	Roll
Product weight	640 g/m <sup>2</sup>
Product dimensions (Length)	10 m
Product dimensions (Width)	1.5 m
Product dimensions in m <sup>2</sup>	15 m <sup>2</sup>
Thickness	4 mm
Density	160 kg/m <sup>3</sup>
Material	Top layer: Crêpe, Middle layer: Rebond polyurethane foam, Bottom layer: Spunbond polypropylene non-woven
Brand	Best Base
TOG rating	1.6 TOG
Domestic use	Yes
Project use	Yes
Laying method	Stretching / double-sided gluing
DIBT certificate	Z-158.10-93
Product dimensions (Unit)	m <sup>2</sup>
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Wheelchair load (Test method: EN 985)	Suitable

# Starbase 4 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71820

Thermal resistance - R-value (Test method: ISO 8302)	0.16 m <sup>2</sup> K/W
Sound-reducing Lw (Test method: NEN-EN ISO 717-2)	25 dB Lw
Flame-retardant (Test method: EN 13501-1)	Bfl-S1
Laying direction	Perpendicular to the carpet direction. Ensure that the seams of the underlay and carpet do not align.
Suitable for stair installation	Yes
Green Choice	Yes

# Starbase 4 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71820

**estillon**  
WE WILL IMPROVE YOUR FLOOR

