Starbase 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71821

Scan this QR code to view this product on our website.



Description

Starbase is an underlay produced from high-quality clean recycled rebond polyurethane foam. The lightweight rebond foam guarantees a stable and durable installation while enhancing the luxury and comfort of the carpet. Starbase is suitable for residential and project use, such as entrances, restaurants, hallways, rooms, and stairs.

- Very high indentation recovery
- Lightweight and easy to handle
- Environmentally friendly production and 100% recycled
- Usage classification: (BS 5808:1991) HC/U
- Heavy commercial use, suitable for intensive traffic from foot and (casters) wheel traffic

Starbase 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71821

Specifications

Floor type	Carpet
Thickness	6 mm (10% margin)
Product weight	960 g/m² (10% margin)
Density	160 kg/m³ (10% margin)
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Domestic use	Yes
Project use	Yes
Wheelchair load (Test method: EN 985)	Suitable
Sound-reducing - ΔLw	27 dB ΔLw
TOG rating	2 TOG
Thermal resistance - R-value	0.2 m² K/W
Fire classification	Cfl-s1
Flame-retardant - Test method	EN 13501-1
Green choice label	Yes
DIBT certificate	Z-158.10-93
Brand	Best Base
Laying method	Stretch / double-sided gluing
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1.5 m

Starbase 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71821

Product dimensions in m2	15 m²
Base unit	Roll
Material	Top layer: Crêpe,Middle layer: Rebond polyurethane foam,Bottom layer: Spunbond polypropylene non-woven
Installation instruction explanation	Perpendicular to the laying direction of the carpet. Prevent the seams of the underlay and the carpet from coinciding.

Starbase 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 71821





















