

Starbase Green 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 718211

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Starbase Green 6 mm is an underlay made from high-quality recycled polyurethane foam sourced from post-consumer materials, carefully selected for consistent and durable performance. The lightweight rebond polyurethane foam guarantees a stable and long-lasting installation while enhancing the luxurious comfort of the carpet. Starbase Green 6 mm is suitable for both domestic and commercial applications, such as in entrances, restaurants, hallways, rooms, and staircases.

- Very high resilience to indentation
- Lightweight and easy to handle
- Eco-friendly production, 100% recycled post-consumer
- Designed for heavy-duty commercial use, suitable for high foot traffic and (caster) wheel traffic

Starbase Green 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 718211

estillon
WE WILL IMPROVE YOUR FLOOR

Specifications

Floor type	Carpet
Product weight	960 gr/m ² (10% margin)
Product dimensions (Length)	10 m (10% margin)
Product dimensions (Width)	1,5 m
Product dimensions in m2	15 m ²
Contents	Roll
Thickness	6 mm (10% margin)
Density	160 kg/m ³ (10% margin)
Material	Top Layer: Crêpe Middle Layer: Rebond polyurethane foam - Post Consumer Bottom Layer: Spunbond polypropylene non-woven
Type of substrate	Wooden subfloor / Timber floor Solid cement screed / Fixed sand-cement floor Floating screed
Brand	Best Base
TOG rating	1,6 TOG
Thermal resistance - R-value	0,16 m ² K/W
Thermal resistance - Test method	ISO 8302:1991; EN 12667:2001
VOC label	A+
Domestic use	Yes
Project use	Yes

Starbase Green 6 mm: 10 x 1.50 m (15 m²)


Art. nr - 718211

Laying method	Stretch
Installation instruction explanation	Perpendicular to the laying direction of the carpet. Prevent the seams of the underlay and the carpet from coinciding
Stair installation suitable	Yes
Green choice label	Yes
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Wheelchair load (Test method: EN 985)	Suitable
Sound-reducing - ΔLw	45 dB ΔLw
Flame-retardant	Bfl-s1

Starbase Green 6 mm: 10 x 1.50 m (15 m²)

Art. nr - 718211

estillon
WE WILL IMPROVE YOUR FLOOR



estillon
GREEN CHOICE

