

# Starbase 8 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71822

**estillon**  
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



## Description

Starbase is an underlay produced from high-quality clean recycled rebond polyurethane foam. This lightweight foam guarantees a stable and durable installation, enhancing the luxury and comfort of your carpet. Ideal for both residential and commercial applications, including entrances, restaurants, hallways, rooms, and stairs. - Very high indentation recovery - Lightweight and easy to work with - Environmentally friendly production and 100% recycled - Flame retardant Euroclass Bfl-S1

# Starbase 8 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71822

## Specifications

Floor type	Carpet
Base unit	Roll
Product weight	1280 g/m <sup>2</sup>
Product dimensions (Length)	10 m
Product dimensions (Width)	1.5 m
Product dimensions in m <sup>2</sup>	15 m <sup>2</sup>
Thickness	8 mm
Density	160 kg/m <sup>3</sup>
Material	Top layer: Crêpe Middle layer: Rebond polyurethane foam Bottom layer: Spunbond polypropylene non-woven
Brand	Best Base
TOG rating	2.7 TOG
Domestic use	Yes
Project use	Yes
Laying method	Stretch / double-sided gluing
DIBT certificate	Z-158.10-93
Product dimensions (Unit)	m <sup>2</sup>
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed
Wheelchair load (Test method: EN 985)	Suitable

# Starbase 8 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71822

Thermal resistance - R-value (Test method: ISO 8302)	0.27 m <sup>2</sup> K/W
Sound-reducing Lw (Test method: NEN-EN ISO 717-2)	29 dB Lw
Flame-retardant (Test method: EN 13501-1)	Bfl-S1
Laying direction	Perpendicular to the laying direction of the carpet. Prevent the seams of the underlay and the carpet from aligning.
Suitable for stair installation	Yes
Green Choice	Yes

# Starbase 8 mm: 10 x 1.50 m (15 m<sup>2</sup>)

Art. nr - 71822

**estillon**  
WE WILL IMPROVE YOUR FLOOR

