

Starbase 10 mm: 10 x 1.50 m (15 m²)

Art. nr - 71823

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Starbase is an underlay made from high-quality clean recycled rebond polyurethane foam. The lightweight rebond polyurethane foam guarantees a stable, durable installation and enhances the luxurious and comfortable feel of the carpet. Starbase is suitable for residential and commercial applications, such as entrances, restaurants, hallways, and rooms.

- Very high indentation recovery
- Lightweight and easy to work with
- Environmentally friendly production and 100% recycled
- Flame retardant Euroclass Bfl-S1

Starbase 10 mm: 10 x 1.50 m (15 m²)

Art. nr - 71823

Specifications

| | |
|---|--|
| Floor type | Carpet |
| Product weight | 1600 g/m ² (10% margin) |
| Product dimensions (Length) | 10 m (10% margin) |
| Product dimensions (Width) | 1.5 m |
| Product dimensions in m ² | 15 m ² |
| Sound-reducing - ΔL _{in} - Test method | ISO 10140-3:2021 / ISO 717-2:2020 |
| Base unit | Roll |
| Thickness | 10 mm (10% margin) |
| Density | 160 kg/m ³ (10% margin) |
| Material | Top layer: Crêpe Middle layer: Rebond polyurethane foam Bottom layer: Spunbond polypropylene non-woven |
| Brand | Best Base |
| TOG rating | 3.1 TOG |
| Thermal resistance - R-value | 0.31 m ² K/W |
| Domestic use | Yes |
| Project use | Yes |
| Laying method | Stretch / double-sided gluing |
| DIBT certificate | Z-158.10-93 |
| Green choice label | Yes |
| Type of base floor | Wooden floor / Fixed sand cement floor / Floating screed |

Starbase 10 mm: 10 x 1.50 m (15 m²)

Art. nr - 71823

| | |
|--|-----------------------------------|
| Wheelchair load (Test method: EN 985) | Suitable |
| Sound-reducing - ΔLw | 48 dB ΔLw |
| Sound-reducing - ΔLw - Test method | ISO 10140-3:2021 / ISO 717-2:2020 |
| Flame-retardant | Bfl-S1 |
| Flame-retardant - Test method | EN 13501-1 (2007) + A1 (2013) |

Starbase 10 mm: 10 x 1.50 m (15 m²)

Art. nr - 71823

estillon
WE WILL IMPROVE YOUR FLOOR

