

Felt Underlay 1200 g/m² - 10 mm - 25 x 1 m

Art. nr - R912A A1

estillon
WE WILL IMPROVE YOUR FLOOR

Scan this QR code to view this product on our website.



Description

Needle felt underlay, easy to cut for durable installation. The underlayment is made from recycled textile fibers. Suitable for residential and construction applications.

- Good leveling properties
- High recovery capacity to its original state
- Enhances the feeling of luxury and comfort
- Extends the lifespan of the carpet

Felt Underlay 1200 g/m² - 10 mm - 25 x 1 m

Art. nr - R912A A1

Specifications

Floor type	Carpet
Product weight	1200 g/m ² (10% margin)
Product dimensions (Length)	25 m (10% margin)
Product dimensions (Width)	1 m
Product dimensions in m2	25
Base unit	Roll
Thickness	10 mm (10% margin)
Density	120 kg/m ³ (10% margin)
Material	Recycled needle felt
Brand	Roberts
TOG rating	5.09 TOG
Thermal resistance - R-value	0.509 m ² K/W
Laying method	Stretching
Green choice label	Yes
Type of base floor	Wooden floor / Fixed sand cement floor / Floating screed

Felt Underlay 1200 g/m² - 10 mm - 25 x 1 m

Art. nr - R912A A1

estillon
WE WILL IMPROVE YOUR FLOOR

