

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Underlay to Substrate</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Interfloor STK300 (porous substrate only) Interfloor STK950 (tackifier)	Interfloor STK300 (porous substrate only) Interfloor STK950 (tackifier)	Interfloor STK300 (porous substrate only) Interfloor STK950 (tackifier)	Interfloor STK300 (porous substrate only) Interfloor STK950 (tackifier)
Ardex AF145 Ardex AF165 / AF2365	Ardex AF145 Ardex AF165 / AF2365	- -	- -
Bostik STIX A300 Multi Floor Bostik STIX A640 Pressure Sensitive Bostik STIX A800 Premium Bostik STIX H900 Resist+ Bostik STIX A930 Multi Faser	Bostik STIX A300 Multi Floor Bostik STIX A640 Pressure Sensitive Bostik STIX A800 Premium Bostik STIX H900 Resist+ Bostik STIX A930 Multi Faser	- - - - -	- - - - -
F. Ball F3 F. Ball F40 (raised access panels) F. Ball F44 F. Ball F46 (non-porous subfloors) F. Ball F48+ (high temperature areas) F. Ball F49 (high temperature areas) F. Ball F73+ (high temperature areas) F. Ball F84 (high temperature areas)	F. Ball F3 F. Ball F40 (raised access panels) F. Ball F44 F. Ball F46 (non-porous subfloors) F. Ball F48+ (high temperature areas) F. Ball F49 (high temperature areas) F. Ball F73+ (high temperature areas) F. Ball F84 (high temperature areas)	F. Ball F3 - - - - - - -	- F. Ball F40 (raised access panels) - - - F. Ball F49 (high temperature areas) - F. Ball F84 (high temperature areas)
Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 1 of 13

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Underlay to Substrate Cont.</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Kiesel Bakit FPK	Kiesel Bakit FPK	-	-
Kiesel Bakit EK	Kiesel Bakit EK	-	-
Kiesel Bakit HPK	Kiesel Bakit HPK	-	-
Mapei Ultrabond Eco P909 2K (concrete / screed substrate)	Mapei Ultrabond Eco P909 2K (concrete / screed substrate)	-	-
Mapei Ultrabond Eco MS1	Mapei Ultrabond Eco MS1	-	-
Mapei Ultrabond Eco V4 Evolution	Mapei Ultrabond Eco V4 Evolution	Mapei Ultrabond V4 Evolution	-
Mapei Ultrabond Eco VS90 Plus	Mapei Ultrabond Eco VS90 Plus	Mapei Ultrabond Eco VS90 Plus	-
Mapei Ultrabond Eco V4SP	Mapei Ultrabond Eco V4SP	-	-
-	Mapei Ultrabond S948 1K (plywood substrate)	Mapei Ultrabond Eco S948 1K (plywood substrate)	-
-	-	Mapei Ultrabond Eco 4 LVT	-
-	-	Mapei Ultrabond Eco Fix	-
-	-	Mapei Ultrabond Eco S940 1K	-
-	-	Mapei Ultrabond Eco S955 1K	-
Taylor Adhesives (US) Pinnacle	Taylor Adhesives (US) Pinnacle	-	-
Taylor Adhesives (US) Dynamic	Taylor Adhesives (US) Dynamic	-	-
Taylor Adhesives (US) Versatile (releasable bond)	Taylor Adhesives (US) Versatile (releasable bond)	-	-

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 2 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Underlay to Substrate Cont.</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Uzin UZ57	Uzin UZ57	-	-
Uzin UZ88	Uzin UZ88	-	-
Uzin KE2000S	Uzin KE2000S	-	-
Uzin KE2428	Uzin KE2428	-	-
Uzin KE2560	Uzin KE2560	-	-
Uzin Pallmann P6 (UK)	Uzin Pallmann P6 (UK)	-	-
Uzin Pallmann P9 (UK)	Uzin Pallmann P9 (UK)	-	-
Uzin MK92S (International)	Uzin MK92S (International)	-	-
Uzin MK250 (International)	Uzin MK250 (International)	-	-
Wakol D3320 PVC Adhesive	Wakol D3320 PVC Adhesive	-	-
Wakol D3360 VersaTack	Wakol D3360 VersaTack	-	-
Wakol MS230 Parquet Adhesive	Wakol MS230 Parquet Adhesive	-	-

<u>LVT/LVP to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Bostik STIX A640 Pressure Sensitive Bostik STIX H900 Resist+	Bostik STIX A640 Pressure Sensitive Bostik STIX H900 Resist+	n/a n/a	n/a n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 3 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>LVT/LVP to Underlay Cont.</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
F. Ball F46	F. Ball F46	n/a	n/a
F. Ball F58+ (dry)	F. Ball F58+ (dry)	n/a	n/a
F. Ball F49 (high temperature areas)	F. Ball F49 (high temperature areas)	n/a	n/a
F. Ball F73+ (high temperature areas)	F. Ball F73+ (high temperature areas)	n/a	n/a
F. Ball F84 (high temperature areas)	F. Ball F84 (high temperature areas)	n/a	n/a
Mapei Ultrabond Eco MS1	Mapei Ultrabond Eco MS1	n/a	n/a
Mapei Ultrabond Eco MS 4LVT Wall & Floor	Mapei Ultrabond Eco MS 4LVT Wall & Floor	n/a	n/a
Mapei Ultrabond Eco V4 Evolution	Mapei Ultrabond Eco V4 Evolution	n/a	n/a
Mapei Ultrabond Eco VS90 Plus	Mapei Ultrabond Eco VS90 Plus	n/a	n/a
-	Mapei Ultrabond Eco V4SP	n/a	n/a
Mapei Adesilex G19	Mapei Adesilex G19	n/a	n/a
Mapei Adesilex G20	Mapei Adesilex G20		
Taylor Adhesives (US) Pinnacle	Taylor Adhesives (US) Pinnacle	n/a	n/a
Taylor Adhesives (US) Dynamic	Taylor Adhesives (US) Dynamic	n/a	n/a
Taylor Adhesives (US) Versatile (releasable bond)	Taylor Adhesives (US) Versatile (releasable bond)	n/a	n/a
Uzin KE2000S	Uzin KE2000S	n/a	n/a
Uzin KE49 (high temperature areas)	Uzin KE49 (high temperature areas)	n/a	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 4 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Loose Lay LVT to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
-	Bostik FIX A320 Tack	n/a	n/a

<u>PVC to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Stauf D37	-	n/a	n/a
Stauf R105	-	n/a	n/a
Uzin KE2000S	Uzin KE2000S	n/a	n/a
Uzin KE49 (high temperature areas)	Uzin KE49 (high temperature areas)	n/a	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 5 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Homogeneous Vinyl to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
F. Ball F46	F. Ball F46	n/a	n/a
F. Ball F58+ (dry)	F. Ball F58+ (dry)	n/a	n/a
F. Ball F49 (high temperature areas)	F. Ball F49 (high temperature areas)	n/a	n/a
F. Ball F73+ (high temperature areas)	F. Ball F73+ (high temperature areas)	n/a	n/a
Kiesel Okatmos Star 100	Kiesel Okatmos Star 100	n/a	n/a

<u>Linoleum to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
-	F. Ball F49 (high temperature areas)	n/a	n/a
-	Uzin KE2000S	n/a	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 6 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Ceramic / Porcelain / Natural Stone Tiles to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Bostik MC310 OPF	Bostik MC310 OPF	-	n/a
Bostik MC250 Vitri-Flex	Bostik MC250 Vitri-Flex	-	n/a
Bostik J115 Flexible Smooth Finish Grout	Bostik J115 Flexible Smooth Finish Grout	-	n/a
Mapei Keraquick S1 (tiles up to 600mm x 600mm in size)	Mapei Keraquick S1 (tiles up to 600mm x 600mm in size)	Mapei Keraquick S1 (tiles up to 600mm x 600mm in size)	n/a
Mapei Keraquick S1 incorporating Mapei Latex Plus (tiles exceeding 600mm x 600mm in size)	Mapei Keraquick S1 incorporating Mapei Latex Plus (tiles exceeding 600mm x 600mm in size)	Mapei Keraquick S1 incorporating Mapei Latex Plus (tiles exceeding 600mm x 600mm in size)	n/a
Mapei Keraflex Maxi S1 (tiles up to 600mm x 600mm in size)	Mapei Keraflex Maxi S1 (tiles up to 600mm x 600mm in size)	Mapei Keraflex Maxi S1 (tiles up to 600mm x 600mm in size)	n/a
Mapei Adesilex P9 (tiles up to 600mm x 600mm in size)	Mapei Adesilex P9 (tiles up to 600mm x 600mm in size)	Mapei Adesilex P9 (tiles up to 600mm x 600mm in size)	n/a
Mapei Keraflex Easy S1 Zero	Mapei Keraflex Easy S1 Zero	-	n/a
Mapei Elastorapid	Mapei Elastorapid	-	n/a
Mapei Ultracolour Plus (for grouting)	Mapei Ultracolour Plus (for grouting)	Mapei Ultracolour Plus (for grouting)	n/a
Mapei Mapecolor FF (for grouting)	Mapei Mapecolor FF (for grouting)	Mapei Mapecolor FF (for grouting)	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 7 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Carpet Tile (Bitumen Backed) to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Interfloor STK900	Interfloor STK900	Interfloor STK900	Interfloor STK900
Bostik FIX A320 Tack	Bostik FIX A320 Tack	-	-
Bostik FIX A760 Tech	Bostik FIX A760 Tech	-	-

<u>Carpet to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
n/a	Interfloor STK900	n/a	n/a
n/a	Bostik STIX A300 Multi Floor (Breathable)	n/a	n/a
n/a	Bostik STIX H900 Resist+ (Impervious)	n/a	n/a
n/a	Uzin UZ57	n/a	n/a
n/a	Uzin UZ88	n/a	n/a
n/a	Uzin KE2428	n/a	n/a
n/a	Uzin KE2560	n/a	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 8 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Engineered Wood Flooring to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Bostik WOOD H180 Classic	Bostik WOOD H180 Classic	-	-
-	-	F. Ball B95	F. Ball B95
Kiesel Bakit FPK	Kiesel Bakit FPK	-	-
Kiesel Bakit EK	Kiesel Bakit EK	-	-
Kiesel Bakit HPK	Kiesel Bakit HPK	-	-
-	-	Mapei Ultrabond Eco S940 1K	-
-	Mapei Ultrabond S948 1K	Mapei Ultrabond Eco S948 1K	-
-	-	Mapei Ultrabond Eco S955 1K	-
Stauf D37	-	-	-
Stauf R105	-	-	-
Uzin Pallmann P6 (UK)	Uzin Pallmann P6 (UK)	-	-
Uzin Pallmann P9 (UK)	Uzin Pallmann P9 (UK)	-	-
Uzin MK92S (International)	Uzin MK92S (International)	-	-
Uzin MK250 (International)	Uzin MK250 (International)	-	-

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 9 of 13
--	-------------	----------------------------------	--------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Interface LVT (Sound Choice Backing) to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
F. Ball F46 F. Ball F49 (high temperature areas) F. Ball F73+ (high temperature areas)	F. Ball F46 F. Ball F49 (high temperature areas) F. Ball F73+ (high temperature areas)	n/a n/a n/a	n/a n/a n/a

<u>Interface Norament Rubber to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
F. Ball F58+ (dry) F. Ball F49 (high temperature areas) F. Ball F73+ (high temperature areas)	F. Ball F58+ (dry) F. Ball F49 (high temperature areas) F. Ball F73+ (high temperature areas)	n/a n/a n/a	n/a n/a n/a

<u>Interface Noraplan Rubber to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
F. Ball F58+ (dry) F. Ball F73+ (high temperature areas)	F. Ball F58+ (dry) F. Ball F73+ (high temperature areas)	n/a n/a	n/a n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 10 of 13
--	-------------	----------------------------------	---------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Mapei Mapelastc Smart to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
Mapei Mapelastc Smart (can be applied as a waterproof membrane on Multi-Fit)	Mapei Mapelastc Smart (can be applied as a waterproof membrane on Resilient 250)	n/a	n/a

<u>Nordikka LVT to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
-	F. Ball F46	n/a	n/a
-	F. Ball F49 (high temperature areas)	n/a	n/a

<u>Oneflor / Domus LVT to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
F. Ball F44	F. Ball F44	n/a	n/a
F. Ball F46	F. Ball F46	n/a	n/a
F. Ball F58+ (dry)	F. Ball F58+ (dry)	n/a	n/a
Mapei Ultrabond Eco MS1	Mapei Ultrabond Eco MS1	n/a	n/a
-	Mapei Ultrabond Eco V4 Evolution	n/a	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 11 of 13
--	-------------	----------------------------------	---------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Tarkett LVT (Glue Down) to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
-	F. Ball F46	n/a	n/a
-	F. Ball F58+ (dry)	n/a	n/a
-	F. Ball F49 (high temperature areas)	n/a	n/a
-	F. Ball F73+ (high temperature areas)	n/a	n/a

<u>Tarkett iD Square to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
-	F. Ball F46	n/a	n/a
F. Ball F58+ (dry)	F. Ball F58+ (dry)	n/a	n/a
F. Ball F73+ (high temperature areas)	F. Ball F73+ (high temperature areas)	n/a	n/a

<u>Tarkett Homogeneous Vinyl (iQ) to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
n/a	F. Ball F46	n/a	n/a
n/a	F. Ball F58+ (dry)	n/a	n/a
n/a	F. Ball F49 (high temperature areas)	n/a	n/a
n/a	F. Ball F73+ (high temperature areas)	n/a	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 12 of 13
---	--------------------	---	----------------------

Adhesive Recommendations for Bonding Multi-Fit (MF), Resilient 250 (RS250), Soundsure 300 (SS300) & Soundsure 560 (SS560) to a Substrate and Various Floor Coverings to the Underlays

<u>Tarkett Homogeneous Vinyl (Primo) to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
n/a	F. Ball F46	n/a	n/a
n/a	F. Ball F58+ (dry)	n/a	n/a
n/a	F. Ball F49 (high temperature areas)	n/a	n/a
n/a	F. Ball F73+ (high temperature areas)	n/a	n/a

<u>Tarkett Heterogeneous Vinyl to Underlay</u>			
<u>Multi-Fit</u>	<u>Resilient 250</u>	<u>Soundsure 300</u>	<u>Soundsure 560</u>
n/a	F. Ball F46	n/a	n/a
n/a	F. Ball F58+ (dry)	n/a	n/a
n/a	F. Ball F49 (high temperature areas)	n/a	n/a
	F. Ball F73+ (high temperature areas)	n/a	n/a

Product Code: MF, RS250, SS300 & SS560	Version: 05	Version Date: September 29, 2025	Page 13 of 13
--	-------------	----------------------------------	---------------